
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

AMENDED REPORT

					DIVISION O						AMEN	DED KEPC	KI _		
		1. WELL NAME and NUMBER GMBU F-8-9-17													
2. TYPE OF WORK DRILL NEW WELL (REENTER P&A WELL) DEEPEN WELL)										3. FIELD OR WILDCAT MONUMENT BUTTE					
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO										5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME		7. OPERATOR PHONE 435 646-4825													
8. ADDRI		9. OPERATOR E-MAIL mcrozier@newfield.com													
Rt 3 Box 3630 , Myton, UT, 84052 10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE) UTU-44426 Rt 3 Box 3630 , Myton, UT, 84052 11. MINERAL OWNERSHI FEDERAL INDIAN INDIAN									-	12. SURFACE OWNERSHIP FEDERAL INDIAN STATE FEE					
13. NAM	OF SURFACE		14. SURFACE OWNER PHONE (if box 12 = 'fee')												
15. ADDI	RESS OF SURF		16. SURFACE OWNER E-MAIL (if box 12 = 'fee')												
17. INDIAN ALLOTTEE OR TRIBE NAME					18. INTEND TO COMMINGLE PRODUCTION FROM MULTIPLE FORMATIONS				1	19. SLANT					
(II DOX 1	2 = 'INDIAN')			- 1	YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL (HORIZONTAL)					
20. LOC	ATION OF WE	LL		FOOT	TAGES Q		TR-QTR	SECT	ION	TOWNSHIP	RANGE		MERIDIAN		
LOCATION AT SURFACE 743 FNL				43 FNL	669 FEL N		NENE	NE 7		9.0 S		17.0 E		S	
Top of Uppermost Producing Zone 1230 FNI				30 FNL	L 246 FEL		NENE	NE 7		9.0 S		7.0 E S		S	
At Total			17		170 FWL	170 FWL SW		8		9.0 S 17.0					
21. COU		DUCHESNE			2. DISTANCE TO N	1	.70			23. NUMBER OF ACE		DRILLING 10	G UNIT		
25. DISTANCE TO NEARES (Applied For Drilling or Co								SAME POOI	L	26. PROPOSED DEPTH MD: 6165 TVD: 6165					
27. ELEVATION - GROUND LEVEL 28. B					B. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE					
								00493 437478							
String	Hole Size	Casing Size	Length	Weig			Cement Information d Max Mud Wt.			Cement		Sacks	Yield	Weight	
Surf	12.25	8.625	0 - 300	24.0	0 J-55 ST	&C	8.3	3		Class G		138	1.17	15.8	
Prod	7.875	5.5	0 - 6165	15.	5 J-55 LT	&C	8.3	3	Pren	nium Lite High Stren 50/50 Poz	ngth	288 363	3.26 1.24	11.0	
	30,30102 303 1.24 14.5								17.5						
					A ⁻	TTACH	HMENTS								
	VERIFY T	HE FOLLOWING	G ARE ATT	ACHED	IN ACCORDAN	ICE W	ITH THE U	TAH OIL	AND (GAS CONSERVATIO	ON GE	NERAL F	RULES		
⊮ w	WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER							COMPLETE DRILLING PLAN							
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)							FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER								
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)							✓ TOPOGRAPHICAL MAP								
NAME Mandie Crozier TITLE Regulatory Tech							PHONE 435 646-4825								
SIGNATURE DATE 05/06/2011							EMAIL mcrozier@newfield.com								
API NUMBER ASSIGNED 43013507450000						APPROVAL				200 cylll					
			Permit Manager												

T9S, R17E, S.L.B.&M.

N89*55'E - 78.50 (G.L.O.)



= SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are base on LOCATION: an N.G.S. OPUS Correction. LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

F-8-9-17 (Surface Location) NAD 83 LATITUDE = 40°03'02.17" LONGITUDE = 110°02'32.23"

NEWFIELD EXPLORATION COMPANY

WELL LOCATION, F-8-9-17, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 7, T9S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



Bottom of Hole

NOTES

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern Footages are 1530' FNL & 10' FEL.

THIS IS TO CERTIFY THAT OPHE ABOVE PED WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPPRESION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE WAS BEING. 189377


REGISTERED LAND STRVEYOF RAGISTRA DON, NO. 900337000 STATE OF BEAMUTE OF U

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 07-21-10	SURVEYED BY: D.G.					
DATE DRAWN: 01-20-11	DRAWN BY: M.W.					
REVISED:	SCALE: 1" = 1000'					

T9S, R17E, S.L.B.&M.



= SECTION CORNERS LOCATED

BASIS OF ELEV; Elevations are base on LOCATION: an N.G.S. OPUS Correction. LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'


NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, F-8-9-17, LOCATED AS SHOWN IN THE SW 1/4 NW 1/4 OF SECTION 8, T9S, R17E, S.L.B.&M. DUCHESNE COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 07-20-10	SURVEYED BY: D.G.					
DATE DRAWN: 07-26-10	DRAWN BY: M.W.					
REVISED:	SCALE: 1" = 1000'					